

FIG.1




FIG.2




FIG.3A




FIG.3B




FIG. 4




FIG. 5

FIG. 5 is a perspective view of a rectangular frame assembly 120. The assembly includes a front rail 122 with a series of rectangular openings 132. A back rail 122 is positioned opposite the front rail. A central panel 130 is held in place by a clamping mechanism 134. The clamping mechanism includes a series of rectangular blocks 136 that fit into the openings 132. A corner bracket 128 is shown at one corner of the frame.




FIG.6A




FIG.6B




FIG.7




FIG.8




FIG.9







FIG.10











FIG.13A




FIG.13B




FIG.13C




FIG.13D




FIG.13E




FIG.14A




FIG.14B




FIG.14C




FIG.14D




FIG.14E




FIG.15A




FIG.15B




FIG.15C




FIG.15D




FIG.16




FIG.17




FIG.18A




FIG.18B

501




FIG.18C




FIG.18D

FIG.19B




FIG.19C




FIG.19E




FIG.19D




FIG.20B




FIG.20A




FIG.20C




FIG.20D




FIG.20E




FIG.20F




FIG.20G




FIG.21B




FIG.21A




FIG.21C




FIG. 22A

FIG. 22B





FIG. 23A

FIG. 23B




[illegible]

FIG. 25

564 529 508

562

510 514 512

501

